

# KERN CD 50-2P2

**KERN**

Loadcell made of stainless steel



## Category

Brand	Sauter
Product category	Measuring cell
Product group	Load/force measuring cell
Product family	CD P2

## Measuring System

Weighing capacity [Max]	50000 kg
Load cell connection	4-wire
Load cell OIML class	C2
Load cell - Resolution (verifiable)	2000 e
Load cell - characteristic value - nominal	1,5 mV/V
Load cell - characteristic value - variance	0,002 mV/V
Load cell - Y-value	5000
Load cell - Combined error	0,03%
Load cell - Dead load [Min] (%)	0%
Measuring applications	force mass
Load cell - Input resistance - nominal	700 Ω
Load cell - Output resistance - nominal	703 Ω
Load cell - Isolation resistance - [Min]	5000 MΩ
Load cell - Recommended excitation voltage [Min]	5 V
Load cell - Recommended excitation voltage [Max]	12 V
Load cell - Input resistance - variance	7 Ω

Load cell - Output resistance - variance

4 Ω

Measuring range force [Max] (N)

500 kN

Directions of force

tension  
compression

## Approval

CE mark



## Construction

Design	Tension-/compression rod
Material	stainless steel
Cable length	20 m
Mounting - force application	External thread M56 × 4
Mounting - force dissipation	External thread M56 × 4

## Functions

IP protection - complete device IP68

## Environmental conditions

Use temperature [Min]	-10 °C
Use temperature [Max]	40 °C
Ambient temperature [Min]	-35 °C
Ambient temperature [Max]	65 °C
Storage temperature [Min]	-40 °C
Storage temperature [Max]	70 °C

## Packing & Shipping

Readability force [d] (N)	36 d
Dimensions packaging (W×D×H)	220×220×160 mm
Net weight	2,2 kg
Shipping method	Parcel service
Net weight approx.	2,2 kg
Gross weight approx.	2,8 kg
Shipping weight	2,7 kg

## Pictograms

### STANDARD



### OPTION

