

# KERN TVO 2000N500S-LD

# KERN

Practical set for force-displacement-measurements in laboratory and industry



Transversal movement speed [Min]	1 mm/min
Transversal movement speed [Max]	500 mm/min
Transversal movement speed variation	0,5%

## Functions

Speed display	✓
Repeat function	✓
Length measuring - zero setting	✓
Limit switch	✓

## Power Supply

Input voltage power supply / power [Max]	230 V AC, 50 Hz
Input voltage device / power [Max]	230 V AC, 50 Hz
Plug-in power supply type	Built-in power supply
Supplied power supply	Power supply unit
Plug-in power supply / adapter for countries - optional	EURO UK CH

## Environmental conditions

Ambient temperature [Min]	10 °C
Ambient temperature [Max]	40 °C
Storage temperature [Min]	-10 °C
Storage temperature [Max]	40 °C

## Packing & Shipping

Readability force [d] (N)	2 d
Dimensions packaging (W×D×H)	590×425×1270 mm
Net weight	60 kg
Shipping method	Freight
Net weight approx.	60 kg
Gross weight approx.	75 kg
Shipping weight	74 kg

## Pictograms

### STANDARD



## Category

Brand	Sauter
Product category	Test bench
Product group	Test stand set
Product family	TVO-LD

## Measuring System

Length measuring device	Length measuring device with data interface
Measurable length [Max]	60 cm

## Approval

CE mark	✓
---------	---

## Display

Display type	LED segments
Display type	7 segment LED
Display digit height - smallest digit	9 mm

## Construction

Dimension (W×D×H)	1185×465×300 mm
Dimension housing (W×D×H)	1185×465×300 mm
Dimensions completely mounted (W×D×H)	1185×465×300 mm
Material display housing	Metal
Generated force [Max]	2 kN
Mounting - force application	Threaded hole - 6 × M6, 2 × M10
Mounting - force dissipation	Threaded hole - 6 × M6, 2 × M10
Type of drive	Stepper motor
Traverse distance [Max]	700 mm